ECCL CAPITAL RESERVE

- - - - - - - - - -	Wandan	Personalization	_		YTD	
FY 22-23	Vendor	Description Capital Reserve Fund	EX	penses	Revenue \$ 273,705.21	
As of 12/1/22	•	Feminine Hygiene Dispensers	\$	7,603.06	. ,	
	Knorr Systems, Inc.	Pool Heater Heat Exchanger Replacement	\$	17,687.83		
	ELESCO Dude Solutions	Replace emergency lighting inverter batteries Journal entry moving fr Capital Reserve to Bond	\$ \$	20,463.33 (8,086.90)		
	Dude Coldions	Courted only moving in Suprice Reserve to Berta	Ψ	(0,000.00)		
21-22		Capital Reserve Fund			\$ 273,537.75	
	Dude Solutions	Facility Condition Assessment - CMMS - Shared Cost Facility Condition Assessment CMMS Leased Sites	\$ \$	26,293.34 8,086.90		
	Pelco Sales & Service	Replace walkin freezer door and door alarm	Ф \$	9,326.82		
	Convergint Technologies	Repair failed access control syst. motherboard	\$	29,368.04		
00.04		Osnital Deserva Franci			Ф 04 000 04	
20-21	Therma	Capital Reserve Fund Replace boiler loop hot water pumps	\$	13,875.38	\$ 21,390.31	
	Dude Solutions	CMMS Software	\$	3,616.48		
	Lincoln Aquatics	Purchase new pool covers	\$	7,738.38		
19-20		Capital Reserve Fund			\$ 21,499.88	
19-20	Hillyard/San Francisco	Gym floor 2019/2020	\$	4,734.85	\$ 21,499.88	
	Knorr Systems, Inc.	HEAT EXCHANGER REPLACEMENT	\$	12,569.81		
40.40		07.1.			4 00 007 00	
18-19		Capital Reserve Fund Fund Adjustment	\$	14.84	\$ 20,997.09	
		Tuna Adjustment	Ψ	14.04		
17-18		Capital Reserve Fund			\$ 35,697.36	
			\$	-		
16-17		Capital Reserve Fund			\$ 4,638.64	
		·			,	
				450,000,40	* 054 400 04	Balance
FUTURE EXPENDITURES - NOT REALIZED			\$	153,292.16	\$ 651,466.24	\$ 498,174.08
		Building C Water Heater Replacement	\$	13,000.00		
		Underground Water Leak Repair	\$	20,000.00		
	Convergint Technologies	Access Readers and Intercom for Buildings B, C, D Gates	\$	45,068.00		
			\$	78,068.00		