

RESOLUTION NO. 21-112

Resolution Of The City Council Of The City Of Emeryville Requesting That East Bay Community Energy Enroll All City Of Emeryville Municipal Electric Accounts In Renewable 100 (100% Local, Renewable, And Greenhouse Gas-Free) Service; CEQA Determination: Exempt Pursuant To CEQA Guideline 15061(b)(3)

WHEREAS, the City of Emeryville has been a leader in the fight against climate change, having adopted its first Climate Action Plan in 2008 with a goal of reducing greenhouse gas (GHG) emissions by 25% below 2004 baseline emission levels by 2020 and updating its Climate Action Plan in 2016 with goals of reducing GHG emissions 40% by 2030 and 80% by 2050; and

WHEREAS, Emeryville's municipal GHG emissions were reduced by approximately 35% over baseline levels as of 2019; and

WHEREAS, Emeryville's Climate Action Plan identifies participation in a Community Choice Aggregation (CCA) program, which allows public agencies to procure a greater percentage of electrical power from renewable and greenhouse gas-free sources on behalf of electricity customers, as a key strategy to meet GHG reduction targets; and

WHEREAS, the Emeryville City Council voted to join the East Bay Community Energy (EBCE) CCA on November 1, 2016 and subsequently appointed representatives to its Board of Directors; and

WHEREAS, the EBCE Joint Powers Authority (JPA) agreement commits to providing an electricity product with rates equal or lower than PG&E that reduces GHG emissions and increases renewable energy content; and

WHEREAS, in 2018, Emeryville enrolled its municipal accounts in the Brilliant 100 GHG-free electricity option at the same price as PG&E; and

WHEREAS, EBCE will no longer offer the Brilliant 100 product beginning in 2022, but, along with its original Bright Choice product, is offering a 100% GHG-free product that provides exclusively local, renewable electricity, called Renewable 100; and

WHEREAS, if municipal accounts were on Bright Choice service, Emeryville's municipal GHG emissions would increase by 7% and costs would decrease by just under 1%, while with Renewable 100, municipal emissions would not increase from current levels, and costs would increase by approximately 13%; and

WHEREAS, maintaining a GHG-free default electricity product would allow Emeryville to showcase its environmental leadership and demonstrate efforts to create a sustainable community in line with the goals of the General Plan and Climate Action Plan; now, therefore, be it

RESOLVED, that this action is exempt from CEQA pursuant to Guideline 15061(b)(3), as it will have no foreseeable negative impact on the environment; and be it further

Resolution No. 21-112
Electric Service for Municipal Accounts
City Council Meeting | October 19, 2021
Page 2 of 2

RESOLVED, by the City Council of the City of Emeryville that the City of Emeryville hereby requests that East Bay Community Energy enroll all municipal accounts within the City of Emeryville in Renewable 100 (100% local, renewable, GHG-free) as the default electricity product.

ADOPTED, by the City Council of the City of Emeryville at a regular meeting held Tuesday, October 19, 2021, by the following vote:

AYES:	4	Mayor Martinez, Vice Mayor Donahue, and Council Members Bauters and Medina
NOES:	0	
ABSTAIN:	0	
ABSENT:	0	

DocuSigned by:

BBAF287D25AB463...
MAYOR

ATTEST:

DocuSigned by:

FB7B5D8FAB6A4BE...
CITY CLERK

APPROVED AS TO FORM:

DocuSigned by:

962663BD5573494...
INTERIM CITY ATTORNEY



East Bay Community Energy Rate Sheets

Rates effective as of August 1, 2021

This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
http://ebce.org/rates/summer	Summer	0.08056	0.08184	0.09184	0.04663	0.12719	0.12847	0.13847	0.12847	kWh
http://ebce.org/rates/winter	Winter	0.04082	0.04170	0.05170	0.04663	0.08745	0.08833	0.09833	0.08833	kWh
https://ebce.org/rates/max-demand-summer	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW
https://ebce.org/rates/summer	Summer	0.06482	0.06598	0.07598	0.05001	0.11483	0.11599	0.12599	0.11599	kWh
https://ebce.org/rates/winter	Winter	0.04619	0.04716	0.05716	0.05001	0.09620	0.09717	0.10717	0.09717	kWh
https://ebce.org/rates/max-demand-summer	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW
https://ebce.org/rates/off-peak-summer	Off-Peak Summer	0.05391	0.05496	0.06496	0.05001	0.10392	0.10497	0.11497	0.10497	kWh
https://ebce.org/rates/part-peak-summer	Part-Peak Summer	0.07898	0.08028	0.09028	0.05001	0.12899	0.13029	0.14029	0.13029	kWh
https://ebce.org/rates/peak-summer	Peak Summer	0.07898	0.08028	0.09028	0.05001	0.12899	0.13029	0.14029	0.13029	kWh
https://ebce.org/rates/off-peak-winter	Off-Peak Winter	0.04590	0.04687	0.05687	0.05001	0.09591	0.09688	0.10688	0.09688	kWh
https://ebce.org/rates/part-peak-winter	Part-Peak Winter	0.04656	0.04754	0.05754	0.05001	0.09657	0.09755	0.10755	0.09755	kWh
https://ebce.org/rates/max-demand-summer	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW
https://ebce.org/rates/summer	Summer	0.07659	0.07787	0.08787	0.05001	0.12660	0.12788	0.13788	0.12788	kWh
https://ebce.org/rates/winter	Winter	0.05505	0.05611	0.06611	0.05001	0.10506	0.10612	0.11612	0.10612	kWh
https://ebce.org/rates/max-demand-summer	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW
https://ebce.org/rates/off-peak-summer	Off-Peak Summer	0.06319	0.06433	0.07433	0.05001	0.11320	0.11434	0.12434	0.11434	kWh
https://ebce.org/rates/part-peak-summer	Part-Peak Summer	0.08971	0.09112	0.10112	0.05001	0.13972	0.14113	0.15113	0.14113	kWh
https://ebce.org/rates/peak-summer	Peak Summer	0.08971	0.09112	0.10112	0.05001	0.13972	0.14113	0.15113	0.14113	kWh
https://ebce.org/rates/off-peak-winter	Off-Peak Winter	0.05473	0.05579	0.06579	0.05001	0.10474	0.10580	0.11580	0.10580	kWh
https://ebce.org/rates/part-peak-winter	Part-Peak Winter	0.05543	0.05650	0.06650	0.05001	0.10544	0.10651	0.11651	0.10651	kWh
https://ebce.org/rates/max-demand-summer	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https	Summer	0.05037	0.05138	0.06138	0.05001	0.10038	0.10139	0.11139	0.10139	kWh
https	Winter	0.03342	0.03426	0.04426	0.05001	0.08343	0.08427	0.09427	0.08427	kWh
https:	Max Demand Summer	0.00000	0.00000	0.00000	0	0.00000	0.00000	0.00000	0.00000	kW
https:	Off-Peak Summer	0.04097	0.04189	0.05189	0.05001	0.09098	0.09190	0.10190	0.09190	kWh
https:	Part-Peak Summer	0.06537	0.06654	0.07654	0.05001	0.11538	0.11655	0.12655	0.11655	kWh
https:	Peak Summer	0.06537	0.06654	0.07654	0.05001	0.11538	0.11655	0.12655	0.11655	kWh
https:	Off-Peak Winter	0.03315	0.03399	0.04399	0.05001	0.08316	0.08400	0.09400	0.08400	kWh
https:	Part-Peak Winter	0.03380	0.03465	0.04465	0.05001	0.08381	0.08466	0.09466	0.08466	kWh
http	Summer	0.08056	0.08184	0.09184	0.04663	0.12719	0.12847	0.13847	0.12847	kWh
http	Winter	0.05485	0.05587	0.06587	0.04663	0.10148	0.10250	0.11250	0.10250	kWh
http	Off-Peak Summer	0.05871	0.05977	0.06977	0.04663	0.10534	0.10640	0.11640	0.10640	kWh
http	Part-Peak Summer	0.08317	0.08448	0.09448	0.04663	0.12980	0.13111	0.14111	0.13111	kWh
http	Peak Summer	0.08317	0.08448	0.09448	0.04663	0.12980	0.13111	0.14111	0.13111	kWh
http	Off-Peak Winter	0.05215	0.05315	0.06315	0.04663	0.09878	0.09978	0.10978	0.09978	kWh
http	Part-Peak Winter	0.05273	0.05373	0.06373	0.04663	0.09936	0.10036	0.11036	0.10036	kWh
htt	Off-Peak Summer	0.06156	0.06265	0.07265	0.04663	0.10819	0.10928	0.11928	0.10928	kWh
htt	Part-Peak Summer	0.09178	0.09318	0.10318	0.04663	0.13841	0.13981	0.14981	0.13981	kWh
htt	Peak Summer	0.18951	0.19190	0.20190	0.04663	0.23614	0.23853	0.24853	0.23853	kWh
htt	Off-Peak Winter	0.05157	0.05256	0.06256	0.04663	0.09820	0.09919	0.10919	0.09919	kWh
htt	Part-Peak Winter	0.05227	0.05327	0.06327	0.04663	0.09890	0.09990	0.10990	0.09990	kWh
https	Connected Load Summer	1.91070	1.93000	1.93000	0	1.91070	1.93000	1.93000	1.93000	kW
https	Summer	0.04682	0.04773	0.05773	0.04339	0.09021	0.09112	0.10112	0.09112	kWh
https	Winter	0.03393	0.03471	0.04471	0.04339	0.07732	0.07810	0.08810	0.07810	kWh
https	Max Demand Summer	3.15810	3.19000	3.19000	0	3.15810	3.19000	3.19000	3.19000	kW
https	Summer	0.05599	0.05699	0.06699	0.04339	0.09938	0.10038	0.11038	0.10038	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https	Winter	0.02872	0.02945	0.03945	0.04339	0.07211	0.07284	0.08284	0.07284	kWh
https	Connected Load Summer	1.50480	1.52000	1.52000	0	1.50480	1.52000	1.52000	1.52000	kW
https	Off-Peak Summer	0.04003	0.04087	0.05087	0.04339	0.08342	0.08426	0.09426	0.08426	kWh
https	Peak Summer	0.08473	0.08602	0.09602	0.04339	0.12812	0.12941	0.13941	0.12941	kWh
https	Off-Peak Winter	0.03155	0.03231	0.04231	0.04339	0.07494	0.07570	0.08570	0.07570	kWh
https	Part-Peak Winter	0.03226	0.03302	0.04302	0.04339	0.07565	0.07641	0.08641	0.07641	kWh
https	Max Demand Summer	2.71260	2.74000	2.74000	0	2.71260	2.74000	2.74000	2.74000	kW
https	Max Peak Demand Summer	1.44540	1.46000	1.46000	0	1.44540	1.46000	1.46000	1.46000	kW
https	Off-Peak Summer	0.04380	0.04468	0.05468	0.04339	0.08719	0.08807	0.09807	0.08807	kWh
https	Peak Summer	0.06908	0.07022	0.08022	0.04339	0.11247	0.11361	0.12361	0.11361	kWh
https	Off-Peak Winter	0.03918	0.04001	0.05001	0.04339	0.08257	0.08340	0.09340	0.08340	kWh
https	Part-Peak Winter	0.03986	0.04070	0.05070	0.04339	0.08325	0.08409	0.09409	0.08409	kWh
https	Max Part-Peak Demand Summer	2.72250	2.75000	2.75000	0	2.72250	2.75000	2.75000	2.75000	kW
https	Max Peak Demand Summer	4.55400	4.60000	4.60000	0	4.55400	4.60000	4.60000	4.60000	kW
https	Off-Peak Summer	0.01960	0.02024	0.03024	0.04339	0.06299	0.06363	0.07363	0.06363	kWh
https	Part-Peak Summer	0.03048	0.03123	0.04123	0.04339	0.07387	0.07462	0.08462	0.07462	kWh
https	Peak Summer	0.06040	0.06145	0.07145	0.04339	0.10379	0.10484	0.11484	0.10484	kWh
https	Off-Peak Winter	0.02493	0.02562	0.03562	0.04339	0.06832	0.06901	0.07901	0.06901	kWh
https	Part-Peak Winter	0.02563	0.02633	0.03633	0.04339	0.06902	0.06972	0.07972	0.06972	kWh
https	Connected Load Summer	4.13820	4.18000	4.18000	0	4.13820	4.18000	4.18000	4.18000	kW
https	Off-Peak Summer	0.04402	0.04490	0.05490	0.04339	0.08741	0.08829	0.09829	0.08829	kWh
https	Peak Summer	0.08124	0.08250	0.09250	0.04339	0.12463	0.12589	0.13589	0.12589	kWh
https	Off-Peak Winter	0.03770	0.03852	0.04852	0.04339	0.08109	0.08191	0.09191	0.08191	kWh
https	Part-Peak Winter	0.03840	0.03923	0.04923	0.04339	0.08179	0.08262	0.09262	0.08262	kWh
https	Max Demand Summer	5.15790	5.21000	5.21000	0	5.15790	5.21000	5.21000	5.21000	kW



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https	Max Peak Demand Summer	3.23730	3.27000	3.27000	0	3.23730	3.27000	3.27000	3.27000	kW
https	Off-Peak Summer	0.02771	0.02843	0.03843	0.04339	0.07110	0.07182	0.08182	0.07182	kWh
https	Peak Summer	0.07544	0.07664	0.08664	0.04339	0.11883	0.12003	0.13003	0.12003	kWh
https	Off-Peak Winter	0.03158	0.03234	0.04234	0.04339	0.07497	0.07573	0.08573	0.07573	kWh
https	Part-Peak Winter	0.03226	0.03302	0.04302	0.04339	0.07565	0.07641	0.08641	0.07641	kWh
https	Max Part-Peak Demand Summer	5.82120	5.88000	5.88000	0	5.82120	5.88000	5.88000	5.88000	kW
https	Max Peak Demand Summer	8.75160	8.84000	8.84000	0	8.75160	8.84000	8.84000	8.84000	kW
https	Off-Peak Summer	0.01586	0.01646	0.02646	0.04339	0.05925	0.05985	0.06985	0.05985	kWh
https	Part-Peak Summer	0.02519	0.02588	0.03588	0.04339	0.06858	0.06927	0.07927	0.06927	kWh
https	Peak Summer	0.05023	0.05118	0.06118	0.04339	0.09362	0.09457	0.10457	0.09457	kWh
https	Off-Peak Winter	0.02420	0.02488	0.03488	0.04339	0.06759	0.06827	0.07827	0.06827	kWh
https	Part-Peak Winter	0.02490	0.02559	0.03559	0.04339	0.06829	0.06898	0.07898	0.06898	kWh
https	Connected Load Summer	4.13820	4.18000	4.18000	0	4.13820	4.18000	4.18000	4.18000	kW
https	Off-Peak Summer	0.04402	0.04490	0.05490	0.04339	0.08741	0.08829	0.09829	0.08829	kWh
https	Peak Summer	0.08124	0.08250	0.09250	0.04339	0.12463	0.12589	0.13589	0.12589	kWh
https	Off-Peak Winter	0.03770	0.03852	0.04852	0.04339	0.08109	0.08191	0.09191	0.08191	kWh
https	Part-Peak Winter	0.03840	0.03923	0.04923	0.04339	0.08179	0.08262	0.09262	0.08262	kWh
https	Off-Peak Summer	0.05981	0.06085	0.07085	0.04339	0.10320	0.10424	0.11424	0.10424	kWh
https	Peak Summer	0.17829	0.18053	0.19053	0.04339	0.22168	0.22392	0.23392	0.22392	kWh
https	Off-Peak Winter	0.03034	0.03108	0.04108	0.04339	0.07373	0.07447	0.08447	0.07447	kWh
https	Peak Winter	0.05652	0.05753	0.06753	0.04339	0.09991	0.10092	0.11092	0.10092	kWh
https	Off-Peak Summer	0.05981	0.06085	0.07085	0.04339	0.10320	0.10424	0.11424	0.10424	kWh
https	Peak Summer	0.17829	0.18053	0.19053	0.04339	0.22168	0.22392	0.23392	0.22392	kWh
https	Off-Peak Winter	0.03034	0.03108	0.04108	0.04339	0.07373	0.07447	0.08447	0.07447	kWh
https	Peak Winter	0.05652	0.05753	0.06753	0.04339	0.09991	0.10092	0.11092	0.10092	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
http	Off-Peak Summer	0.07174	0.07290	0.08290	0.04339	0.11513	0.11629	0.12629	0.11629	kWh
http	Peak Summer	0.19358	0.19597	0.20597	0.04339	0.23697	0.23936	0.24936	0.23936	kWh
http	Off-Peak Winter	0.04051	0.04136	0.05136	0.04339	0.08390	0.08475	0.09475	0.08475	kWh
http	Peak Winter	0.06645	0.06756	0.07756	0.04339	0.10984	0.11095	0.12095	0.11095	kWh
http	Max Peak Demand Summer	11.88000	12.00000	12.00000	0	11.88000	12.00000	12.00000	12.00000	kW
http	Off-Peak Summer	0.03884	0.03967	0.04967	0.04339	0.08223	0.08306	0.09306	0.08306	kWh
http	Peak Summer	0.06802	0.06915	0.07915	0.04339	0.11141	0.11254	0.12254	0.11254	kWh
http	Off-Peak Winter	0.02827	0.02899	0.03899	0.04339	0.07166	0.07238	0.08238	0.07238	kWh
http	Peak Winter	0.05353	0.05451	0.06451	0.04339	0.09692	0.09790	0.10790	0.09790	kWh
https	Off-Peak Summer	0.06779	0.06891	0.07891	0.04339	0.11118	0.11230	0.12230	0.11230	kWh
https	Peak Summer	0.14416	0.14605	0.15605	0.04339	0.18755	0.18944	0.19944	0.18944	kWh
https	Off-Peak Winter	0.03150	0.03226	0.04226	0.04339	0.07489	0.07565	0.08565	0.07565	kWh
https	Peak Winter	0.05769	0.05871	0.06871	0.04339	0.10108	0.10210	0.11210	0.10210	kWh
https	Off-Peak Summer	0.08052	0.08177	0.09177	0.04339	0.12391	0.12516	0.13516	0.12516	kWh
https	Peak Summer	0.16102	0.16308	0.17308	0.04339	0.20441	0.20647	0.21647	0.20647	kWh
https	Off-Peak Winter	0.04239	0.04326	0.05326	0.04339	0.08578	0.08665	0.09665	0.08665	kWh
https	Peak Winter	0.06858	0.06971	0.07971	0.04339	0.11197	0.11310	0.12310	0.11310	kWh
https	Max Peak Demand Summer	11.88000	12.00000	12.00000	0	11.88000	12.00000	12.00000	12.00000	kW
https	Off-Peak Summer	0.05277	0.05374	0.06374	0.04339	0.09616	0.09713	0.10713	0.09713	kWh
https	Peak Summer	0.08248	0.08375	0.09375	0.04339	0.12587	0.12714	0.13714	0.12714	kWh
https	Off-Peak Winter	0.04202	0.04288	0.05288	0.04339	0.08541	0.08627	0.09627	0.08627	kWh
https	Peak Winter	0.06820	0.06933	0.07933	0.04339	0.11159	0.11272	0.12272	0.11272	kWh
https	Connected Load Summer	1.44540	1.46000	1.46000	0	1.44540	1.46000	1.46000	1.46000	kW
https	Off-Peak Summer	0.04015	0.04099	0.05099	0.04339	0.08354	0.08438	0.09438	0.08438	kWh
https	Peak Summer	0.13916	0.14100	0.15100	0.04339	0.18255	0.18439	0.19439	0.18439	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https	Off-Peak Winter	0.03009	0.03083	0.04083	0.04339	0.07348	0.07422	0.08422	0.07422	kWh
https	Part-Peak Winter	0.03079	0.03154	0.04154	0.04339	0.07418	0.07493	0.08493	0.07493	kWh
https	Max Demand Summer	2.15820	2.18000	2.18000	0	2.15820	2.18000	2.18000	2.18000	kW
https	Max Peak Demand Summer	1.21770	1.23000	1.23000	0	1.21770	1.23000	1.23000	1.23000	kW
https	Off-Peak Summer	0.03595	0.03675	0.04675	0.04339	0.07934	0.08014	0.09014	0.08014	kWh
https	Peak Summer	0.12238	0.12405	0.13405	0.04339	0.16577	0.16744	0.17744	0.16744	kWh
https	Off-Peak Winter	0.03056	0.03131	0.04131	0.04339	0.07395	0.07470	0.08470	0.07470	kWh
https	Part-Peak Winter	0.03127	0.03202	0.04202	0.04339	0.07466	0.07541	0.08541	0.07541	kWh
https	Connected Load Summer	1.52460	1.54000	1.54000	0	1.52460	1.54000	1.54000	1.54000	kW
https	Off-Peak Summer	0.03763	0.03845	0.04845	0.04339	0.08102	0.08184	0.09184	0.08184	kWh
https	Peak Summer	0.12144	0.12310	0.13310	0.04339	0.16483	0.16649	0.17649	0.16649	kWh
https	Off-Peak Winter	0.02905	0.02978	0.03978	0.04339	0.07244	0.07317	0.08317	0.07317	kWh
https	Part-Peak Winter	0.02975	0.03049	0.04049	0.04339	0.07314	0.07388	0.08388	0.07388	kWh
https	Max Demand Summer	1.98000	2.00000	2.00000	0	1.98000	2.00000	2.00000	2.00000	kW
https	Max Peak Demand Summer	1.27710	1.29000	1.29000	0	1.27710	1.29000	1.29000	1.29000	kW
https	Off-Peak Summer	0.03347	0.03425	0.04425	0.04339	0.07686	0.07764	0.08764	0.07764	kWh
https	Peak Summer	0.10821	0.10974	0.11974	0.04339	0.15160	0.15313	0.16313	0.15313	kWh
https	Off-Peak Winter	0.02494	0.02563	0.03563	0.04339	0.06833	0.06902	0.07902	0.06902	kWh
https	Part-Peak Winter	0.02564	0.02634	0.03634	0.04339	0.06903	0.06973	0.07973	0.06973	kWh
htt	Off-Peak Summer	0.05455	0.05557	0.06557	0.04663	0.10118	0.10220	0.11220	0.10220	kWh
htt	Part-Peak Summer	0.07515	0.07638	0.08638	0.04663	0.12178	0.12301	0.13301	0.12301	kWh
htt	Peak Summer	0.12389	0.12561	0.13561	0.04663	0.17052	0.17224	0.18224	0.17224	kWh
htt	Off-Peak Winter	0.05323	0.05424	0.06424	0.04663	0.09986	0.10087	0.11087	0.10087	kWh
htt	Peak Winter	0.06919	0.07036	0.08036	0.04663	0.11582	0.11699	0.12699	0.11699	kWh
htt	Super-Off-Peak Winter	0.03698	0.03782	0.04782	0.04663	0.08361	0.08445	0.09445	0.08445	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://www.ebce.org/rates	Off-Peak Summer	0.05118	0.05217	0.06217	0.04663	0.09781	0.09880	0.10880	0.09880	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.08657	0.08792	0.09792	0.04663	0.13320	0.13455	0.14455	0.13455	kWh
https://www.ebce.org/rates	Peak Summer	0.12861	0.13038	0.14038	0.04663	0.17524	0.17701	0.18701	0.17701	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04454	0.04546	0.05546	0.04663	0.09117	0.09209	0.10209	0.09209	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.06632	0.06746	0.07746	0.04663	0.11295	0.11409	0.12409	0.11409	kWh
https://www.ebce.org/rates	Peak Winter	0.07854	0.07980	0.08980	0.04663	0.12517	0.12643	0.13643	0.12643	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.02828	0.02904	0.03904	0.04663	0.07491	0.07567	0.08567	0.07567	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.04302	0.04396	0.05396	0.05001	0.09303	0.09397	0.10397	0.09397	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07355	0.07480	0.08480	0.05001	0.12356	0.12481	0.13481	0.12481	kWh
https://www.ebce.org/rates	Peak Summer	0.13127	0.13310	0.14310	0.05001	0.18128	0.18311	0.19311	0.18311	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04388	0.04483	0.05483	0.05001	0.09389	0.09484	0.10484	0.09484	kWh
https://www.ebce.org/rates	Peak Winter	0.07719	0.07847	0.08847	0.05001	0.12720	0.12848	0.13848	0.12848	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.00791	0.00849	0.01849	0.05001	0.05792	0.05850	0.06850	0.05850	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.05281	0.05385	0.06385	0.05001	0.10282	0.10386	0.11386	0.10386	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.08506	0.08642	0.09642	0.05001	0.13507	0.13643	0.14643	0.13643	kWh
https://www.ebce.org/rates	Peak Summer	0.14613	0.14811	0.15811	0.05001	0.19614	0.19812	0.20812	0.19812	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.05353	0.05458	0.06458	0.05001	0.10354	0.10459	0.11459	0.10459	kWh
https://www.ebce.org/rates	Peak Winter	0.08866	0.09006	0.10006	0.05001	0.13867	0.14007	0.15007	0.14007	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.01756	0.01824	0.02824	0.05001	0.06757	0.06825	0.07825	0.06825	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.02840	0.02919	0.03919	0.05001	0.07841	0.07920	0.08920	0.07920	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.05817	0.05926	0.06926	0.05001	0.10818	0.10927	0.11927	0.10927	kWh
https://www.ebce.org/rates	Peak Summer	0.11434	0.11600	0.12600	0.05001	0.16435	0.16601	0.17601	0.16601	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.02931	0.03011	0.04011	0.05001	0.07932	0.08012	0.09012	0.08012	kWh
https://www.ebce.org/rates	Peak Winter	0.06182	0.06295	0.07295	0.05001	0.11183	0.11296	0.12296	0.11296	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	-0.00667	-0.00623	0.00377	0.05001	0.04334	0.04378	0.05378	0.04378	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://ebce.org/rates/2017/Max-Part-Peak-Demand-Summer	Max Part-Peak Demand Summer	1.76220	1.78000	1.78000	0	1.76220	1.78000	1.78000	1.78000	kW
https://ebce.org/rates/2017/Max-Peak-Demand-Summer	Max Peak Demand Summer	12.06810	12.19000	12.19000	0	12.06810	12.19000	12.19000	12.19000	kW
https://ebce.org/rates/2017/Max-Peak-Demand-Winter	Max Peak Demand Winter	1.23750	1.25000	1.25000	0	1.23750	1.25000	1.25000	1.25000	kW
https://ebce.org/rates/2017/Off-Peak-Summer	Off-Peak Summer	0.03046	0.03123	0.04123	0.04584	0.07630	0.07707	0.08707	0.07707	kWh
https://ebce.org/rates/2017/Part-Peak-Summer	Part-Peak Summer	0.04906	0.05002	0.06002	0.04584	0.09490	0.09586	0.10586	0.09586	kWh
https://ebce.org/rates/2017/Peak-Summer	Peak Summer	0.07046	0.07163	0.08163	0.04584	0.11630	0.11747	0.12747	0.11747	kWh
https://ebce.org/rates/2017/Off-Peak-Winter	Off-Peak Winter	0.03059	0.03136	0.04136	0.04584	0.07643	0.07720	0.08720	0.07720	kWh
https://ebce.org/rates/2017/Peak-Winter	Peak Winter	0.05886	0.05992	0.06992	0.04584	0.10470	0.10576	0.11576	0.10576	kWh
https://ebce.org/rates/2017/Super-Off-Peak-Winter	Super-Off-Peak Winter	-0.00965	-0.00928	0.00072	0.04584	0.03619	0.03656	0.04656	0.03656	kWh
https://ebce.org/rates/2017/Off-Peak-Summer	Off-Peak Summer	0.03324	0.03404	0.04404	0.04584	0.07908	0.07988	0.08988	0.07988	kWh
https://ebce.org/rates/2017/Part-Peak-Summer	Part-Peak Summer	0.06828	0.06943	0.07943	0.04584	0.11412	0.11527	0.12527	0.11527	kWh
https://ebce.org/rates/2017/Peak-Summer	Peak Summer	0.19058	0.19297	0.20297	0.04584	0.23642	0.23881	0.24881	0.23881	kWh
https://ebce.org/rates/2017/Off-Peak-Winter	Off-Peak Winter	0.03335	0.03415	0.04415	0.04584	0.07919	0.07999	0.08999	0.07999	kWh
https://ebce.org/rates/2017/Peak-Winter	Peak Winter	0.07062	0.07180	0.08180	0.04584	0.11646	0.11764	0.12764	0.11764	kWh
https://ebce.org/rates/2017/Super-Off-Peak-Winter	Super-Off-Peak Winter	-0.00211	-0.00167	0.00833	0.04584	0.04373	0.04417	0.05417	0.04417	kWh
https://ebce.org/rates/2017/Off-Peak-Summer	Off-Peak Summer	0.03324	0.03404	0.04404	0.04584	0.07908	0.07988	0.08988	0.07988	kWh
https://ebce.org/rates/2017/Part-Peak-Summer	Part-Peak Summer	0.06828	0.06943	0.07943	0.04584	0.11412	0.11527	0.12527	0.11527	kWh
https://ebce.org/rates/2017/Peak-Summer	Peak Summer	0.19058	0.19297	0.20297	0.04584	0.23642	0.23881	0.24881	0.23881	kWh
https://ebce.org/rates/2017/Off-Peak-Winter	Off-Peak Winter	0.03335	0.03415	0.04415	0.04584	0.07919	0.07999	0.08999	0.07999	kWh
https://ebce.org/rates/2017/Peak-Winter	Peak Winter	0.07062	0.07180	0.08180	0.04584	0.11646	0.11764	0.12764	0.11764	kWh
https://ebce.org/rates/2017/Super-Off-Peak-Winter	Super-Off-Peak Winter	-0.00211	-0.00167	0.00833	0.04584	0.04373	0.04417	0.05417	0.04417	kWh
https://ebce.org/rates/2017/Max-Part-Peak-Demand-Summer	Max Part-Peak Demand Summer	2.08890	2.11000	2.11000	0	2.08890	2.11000	2.11000	2.11000	kW
https://ebce.org/rates/2017/Max-Peak-Demand-Summer	Max Peak Demand Summer	14.33520	14.48000	14.48000	0	14.33520	14.48000	14.48000	14.48000	kW
https://ebce.org/rates/2017/Max-Peak-Demand-Winter	Max Peak Demand Winter	1.70280	1.72000	1.72000	0	1.70280	1.72000	1.72000	1.72000	kW
https://ebce.org/rates/2017/Off-Peak-Summer	Off-Peak Summer	0.03861	0.03946	0.04946	0.04584	0.08445	0.08530	0.09530	0.08530	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://www.ebce.org/rates	Part-Peak Summer	0.05883	0.05989	0.06989	0.04584	0.10467	0.10573	0.11573	0.10573	kWh
https://www.ebce.org/rates	Peak Summer	0.08744	0.08879	0.09879	0.04584	0.13328	0.13463	0.14463	0.13463	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03853	0.03938	0.04938	0.04584	0.08437	0.08522	0.09522	0.08522	kWh
https://www.ebce.org/rates	Peak Winter	0.06928	0.07044	0.08044	0.04584	0.11512	0.11628	0.12628	0.11628	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	-0.00274	-0.00230	0.00770	0.04584	0.04310	0.04354	0.05354	0.04354	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.04266	0.04355	0.05355	0.04584	0.08850	0.08939	0.09939	0.08939	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.08078	0.08206	0.09206	0.04584	0.12662	0.12790	0.13790	0.12790	kWh
https://www.ebce.org/rates	Peak Summer	0.21500	0.21763	0.22763	0.04584	0.26084	0.26347	0.27347	0.26347	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04260	0.04349	0.05349	0.04584	0.08844	0.08933	0.09933	0.08933	kWh
https://www.ebce.org/rates	Peak Winter	0.08448	0.08580	0.09580	0.04584	0.13032	0.13164	0.14164	0.13164	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.00713	0.00767	0.01767	0.04584	0.05297	0.05351	0.06351	0.05351	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.04266	0.04355	0.05355	0.04584	0.08850	0.08939	0.09939	0.08939	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.08078	0.08206	0.09206	0.04584	0.12662	0.12790	0.13790	0.12790	kWh
https://www.ebce.org/rates	Peak Summer	0.21500	0.21763	0.22763	0.04584	0.26084	0.26347	0.27347	0.26347	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04260	0.04349	0.05349	0.04584	0.08844	0.08933	0.09933	0.08933	kWh
https://www.ebce.org/rates	Peak Winter	0.08448	0.08580	0.09580	0.04584	0.13032	0.13164	0.14164	0.13164	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.00713	0.00767	0.01767	0.04584	0.05297	0.05351	0.06351	0.05351	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	2.39580	2.42000	2.42000	0	2.39580	2.42000	2.42000	2.42000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	9.56340	9.66000	9.66000	0	9.56340	9.66000	9.66000	9.66000	kW
https://www.ebce.org/rates	Max Peak Demand Winter	0.92070	0.93000	0.93000	0	0.92070	0.93000	0.93000	0.93000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.03345	0.03425	0.04425	0.04584	0.07929	0.08009	0.09009	0.08009	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.05271	0.05371	0.06371	0.04584	0.09855	0.09955	0.10955	0.09955	kWh
https://www.ebce.org/rates	Peak Summer	0.06176	0.06285	0.07285	0.04584	0.10760	0.10869	0.11869	0.10869	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03370	0.03450	0.04450	0.04584	0.07954	0.08034	0.09034	0.08034	kWh
https://www.ebce.org/rates	Peak Winter	0.06297	0.06407	0.07407	0.04584	0.10881	0.10991	0.11991	0.10991	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://www.ebce.org/rates	Super-Off-Peak Winter	-0.00935	-0.00898	0.00102	0.04584	0.03649	0.03686	0.04686	0.03686	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.03783	0.03868	0.04868	0.04584	0.08367	0.08452	0.09452	0.08452	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07956	0.08083	0.09083	0.04584	0.12540	0.12667	0.13667	0.12667	kWh
https://www.ebce.org/rates	Peak Summer	0.16025	0.16233	0.17233	0.04584	0.20609	0.20817	0.21817	0.20817	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03804	0.03889	0.04889	0.04584	0.08388	0.08473	0.09473	0.08473	kWh
https://www.ebce.org/rates	Peak Winter	0.07139	0.07257	0.08257	0.04584	0.11723	0.11841	0.12841	0.11841	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.00258	0.00307	0.01307	0.04584	0.04842	0.04891	0.05891	0.04891	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.03783	0.03868	0.04868	0.04584	0.08367	0.08452	0.09452	0.08452	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07956	0.08083	0.09083	0.04584	0.12540	0.12667	0.13667	0.12667	kWh
https://www.ebce.org/rates	Peak Summer	0.16025	0.16233	0.17233	0.04584	0.20609	0.20817	0.21817	0.20817	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03804	0.03889	0.04889	0.04584	0.08388	0.08473	0.09473	0.08473	kWh
https://www.ebce.org/rates	Peak Winter	0.07139	0.07257	0.08257	0.04584	0.11723	0.11841	0.12841	0.11841	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	0.00258	0.00307	0.01307	0.04584	0.04842	0.04891	0.05891	0.04891	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	2.10870	2.13000	2.13000	0	2.10870	2.13000	2.13000	2.13000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	15.32520	15.48000	15.48000	0	15.32520	15.48000	15.48000	15.48000	kW
https://www.ebce.org/rates	Max Peak Demand Winter	1.76220	1.78000	1.78000	0	1.76220	1.78000	1.78000	1.78000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.03456	0.03533	0.04533	0.04205	0.07661	0.07738	0.08738	0.07738	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.05355	0.05452	0.06452	0.04205	0.09560	0.09657	0.10657	0.09657	kWh
https://www.ebce.org/rates	Peak Summer	0.08077	0.08201	0.09201	0.04205	0.12282	0.12406	0.13406	0.12406	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03462	0.03539	0.04539	0.04205	0.07667	0.07744	0.08744	0.07744	kWh
https://www.ebce.org/rates	Peak Winter	0.06344	0.06451	0.07451	0.04205	0.10549	0.10656	0.11656	0.10656	kWh
https://www.ebce.org/rates	Super-Off-Peak Winter	-0.00629	-0.00593	0.00407	0.04205	0.03576	0.03612	0.04612	0.03612	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.03863	0.03944	0.04944	0.04205	0.08068	0.08149	0.09149	0.08149	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07298	0.07414	0.08414	0.04205	0.11503	0.11619	0.12619	0.11619	kWh
https://www.ebce.org/rates	Peak Summer	0.20059	0.20304	0.21304	0.04205	0.24264	0.24509	0.25509	0.24509	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://	Off-Peak Winter	0.03866	0.03948	0.04948	0.04205	0.08071	0.08153	0.09153	0.08153	kWh
https://	Peak Winter	0.07833	0.07955	0.08955	0.04205	0.12038	0.12160	0.13160	0.12160	kWh
https://	Super-Off-Peak Winter	0.00327	0.00373	0.01373	0.04205	0.04532	0.04578	0.05578	0.04578	kWh
https://	Off-Peak Summer	0.03863	0.03944	0.04944	0.04205	0.08068	0.08149	0.09149	0.08149	kWh
https://	Part-Peak Summer	0.07298	0.07414	0.08414	0.04205	0.11503	0.11619	0.12619	0.11619	kWh
https://	Peak Summer	0.20059	0.20304	0.21304	0.04205	0.24264	0.24509	0.25509	0.24509	kWh
https://	Off-Peak Winter	0.03866	0.03948	0.04948	0.04205	0.08071	0.08153	0.09153	0.08153	kWh
https://	Peak Winter	0.07833	0.07955	0.08955	0.04205	0.12038	0.12160	0.13160	0.12160	kWh
https://	Super-Off-Peak Winter	0.00327	0.00373	0.01373	0.04205	0.04532	0.04578	0.05578	0.04578	kWh
https://	Max Part-Peak Demand Summer	2.01960	2.04000	2.04000	0	2.01960	2.04000	2.04000	2.04000	kW
https://	Max Peak Demand Summer	13.94910	14.09000	14.09000	0	13.94910	14.09000	14.09000	14.09000	kW
https://	Max Peak Demand Winter	1.78200	1.80000	1.80000	0	1.78200	1.80000	1.80000	1.80000	kW
https://	Off-Peak Summer	0.03642	0.03723	0.04723	0.04392	0.08034	0.08115	0.09115	0.08115	kWh
https://	Part-Peak Summer	0.05670	0.05772	0.06772	0.04392	0.10062	0.10164	0.11164	0.10164	kWh
https://	Peak Summer	0.08239	0.08367	0.09367	0.04392	0.12631	0.12759	0.13759	0.12759	kWh
https://	Off-Peak Winter	0.03626	0.03707	0.04707	0.04392	0.08018	0.08099	0.09099	0.08099	kWh
https://	Peak Winter	0.06709	0.06821	0.07821	0.04392	0.11101	0.11213	0.12213	0.11213	kWh
https://	Super-Off-Peak Winter	0.00504	-0.00465	0.00535	0.04392	0.03888	0.03927	0.04927	0.03927	kWh
https://	Off-Peak Summer	0.04025	0.04110	0.05110	0.04392	0.08417	0.08502	0.09502	0.08502	kWh
https://	Part-Peak Summer	0.07733	0.07855	0.08855	0.04392	0.12125	0.12247	0.13247	0.12247	kWh
https://	Peak Summer	0.20875	0.21130	0.22130	0.04392	0.25267	0.25522	0.26522	0.25522	kWh
https://	Off-Peak Winter	0.04011	0.04096	0.05096	0.04392	0.08403	0.08488	0.09488	0.08488	kWh
https://	Peak Winter	0.08340	0.08469	0.09469	0.04392	0.12732	0.12861	0.13861	0.12861	kWh
https://	Super-Off-Peak Winter	0.00472	0.00521	0.01521	0.04392	0.04864	0.04913	0.05913	0.04913	kWh
https://	Off-Peak Summer	0.04025	0.04110	0.05110	0.04392	0.08417	0.08502	0.09502	0.08502	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https	Part-Peak Summer	0.07733	0.07855	0.08855	0.04392	0.12125	0.12247	0.13247	0.12247	kWh
https	Peak Summer	0.20875	0.21130	0.22130	0.04392	0.25267	0.25522	0.26522	0.25522	kWh
https	Off-Peak Winter	0.04011	0.04096	0.05096	0.04392	0.08403	0.08488	0.09488	0.08488	kWh
https	Peak Winter	0.08340	0.08469	0.09469	0.04392	0.12732	0.12861	0.13861	0.12861	kWh
https	Super-Off-Peak Winter	0.00472	0.00521	0.01521	0.04392	0.04864	0.04913	0.05913	0.04913	kWh
https	Max Part-Peak Demand Summer	4.08870	4.13000	4.13000	0	4.08870	4.13000	4.13000	4.13000	kW
https	Max Peak Demand Summer	17.15670	17.33000	17.33000	0	17.15670	17.33000	17.33000	17.33000	kW
https	Max Peak Demand Winter	2.28690	2.31000	2.31000	0	2.28690	2.31000	2.31000	2.31000	kW
https	Off-Peak Summer	0.02938	0.03007	0.04007	0.03921	0.06859	0.06928	0.07928	0.06928	kWh
https	Part-Peak Summer	0.04792	0.04880	0.05880	0.03921	0.08713	0.08801	0.09801	0.08801	kWh
https	Peak Summer	0.06453	0.06558	0.07558	0.03921	0.10374	0.10479	0.11479	0.10479	kWh
https	Off-Peak Winter	0.02603	0.02669	0.03669	0.03921	0.06524	0.06590	0.07590	0.06590	kWh
https	Peak Winter	0.06373	0.06477	0.07477	0.03921	0.10294	0.10398	0.11398	0.10398	kWh
https	Super-Off-Peak Winter	-0.01163	-0.01135	-0.00135	0.03921	0.02758	0.02786	0.03786	0.02786	kWh
https	Off-Peak Summer	0.03345	0.03418	0.04418	0.03921	0.07266	0.07339	0.08339	0.07339	kWh
https	Part-Peak Summer	0.08319	0.08443	0.09443	0.03921	0.12240	0.12364	0.13364	0.12364	kWh
https	Peak Summer	0.20063	0.20305	0.21305	0.03921	0.23984	0.24226	0.25226	0.24226	kWh
https	Off-Peak Winter	0.03056	0.03126	0.04126	0.03921	0.06977	0.07047	0.08047	0.07047	kWh
https	Peak Winter	0.08304	0.08427	0.09427	0.03921	0.12225	0.12348	0.13348	0.12348	kWh
https	Super-Off-Peak Winter	-0.00192	-0.00154	0.00846	0.03921	0.03729	0.03767	0.04767	0.03767	kWh
https	Off-Peak Summer	0.03345	0.03418	0.04418	0.03921	0.07266	0.07339	0.08339	0.07339	kWh
https	Part-Peak Summer	0.08319	0.08443	0.09443	0.03921	0.12240	0.12364	0.13364	0.12364	kWh
https	Peak Summer	0.20063	0.20305	0.21305	0.03921	0.23984	0.24226	0.25226	0.24226	kWh
https	Off-Peak Winter	0.03056	0.03126	0.04126	0.03921	0.06977	0.07047	0.08047	0.07047	kWh
https	Peak Winter	0.08304	0.08427	0.09427	0.03921	0.12225	0.12348	0.13348	0.12348	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://ebce.org/rates	Super-Off-Peak Winter	-0.00192	-0.00154	0.00846	0.03921	0.03729	0.03767	0.04767	0.03767	kWh
http://ebce.org/rates	Off-Peak Summer	0.05641	0.05745	0.06745	0.04663	0.10304	0.10408	0.11408	0.10408	kWh
http://ebce.org/rates	Peak Summer	0.12686	0.12861	0.13861	0.04663	0.17349	0.17524	0.18524	0.17524	kWh
http://ebce.org/rates	Off-Peak Winter	0.04708	0.04803	0.05803	0.04663	0.09371	0.09466	0.10466	0.09466	kWh
http://ebce.org/rates	Peak Winter	0.06397	0.06509	0.07509	0.04663	0.11060	0.11172	0.12172	0.11172	kWh
http://ebce.org/rates	Super-Off-Peak Winter	0.03084	0.03162	0.04162	0.04663	0.07747	0.07825	0.08825	0.07825	kWh
https://ebce.org/rates	Off-Peak	0.03538	0.03613	0.04613	0.03917	0.07455	0.07530	0.08530	0.07530	kWh
https://ebce.org/rates	Peak	0.21611	0.21869	0.22869	0.03917	0.25528	0.25786	0.26786	0.25786	kWh
https://ebce.org/rates	Super-Off-Peak	0.01024	0.01074	0.02074	0.03917	0.04941	0.04991	0.05991	0.04991	kWh
https://ebce.org/rates	Off-Peak	0.02412	0.02483	0.03483	0.04594	0.07006	0.07077	0.08077	0.07077	kWh
https://ebce.org/rates	Peak	0.21814	0.22081	0.23081	0.04594	0.26408	0.26675	0.27675	0.26675	kWh
https://ebce.org/rates	Super-Off-Peak	0.00016	0.00063	0.01063	0.04594	0.04610	0.04657	0.05657	0.04657	kWh
https://ebce.org/rates	Off-Peak	0.02709	0.02783	0.03783	0.04594	0.07303	0.07377	0.08377	0.07377	kWh
https://ebce.org/rates	Peak	0.22842	0.23119	0.24119	0.04594	0.27436	0.27713	0.28713	0.27713	kWh
https://ebce.org/rates	Super-Off-Peak	0.00195	0.00243	0.01243	0.04594	0.04789	0.04837	0.05837	0.04837	kWh
http://ebce.org/rates	Flat	0.06496	0.06610	0.07610	0.04808	0.11304	0.11418	0.12418	0.11418	kWh
https://ebce.org/rates	Max Part-Peak Demand Summer	7.99920	8.08000	8.08000	0	7.99920	8.08000	8.08000	8.08000	kW
https://ebce.org/rates	Max Peak Demand Summer	7.99920	8.08000	8.08000	0	7.99920	8.08000	8.08000	8.08000	kW
https://ebce.org/rates	Off-Peak Summer	0.02994	0.03071	0.04071	0.04584	0.07578	0.07655	0.08655	0.07655	kWh
https://ebce.org/rates	Part-Peak Summer	0.03561	0.03643	0.04643	0.04584	0.08145	0.08227	0.09227	0.08227	kWh
https://ebce.org/rates	Peak Summer	0.03561	0.03643	0.04643	0.04584	0.08145	0.08227	0.09227	0.08227	kWh
https://ebce.org/rates	Off-Peak Winter	0.02684	0.02757	0.03757	0.04584	0.07268	0.07341	0.08341	0.07341	kWh
https://ebce.org/rates	Part-Peak Winter	0.02750	0.02824	0.03824	0.04584	0.07334	0.07408	0.08408	0.07408	kWh
https://ebce.org/rates	Off-Peak Summer	0.04555	0.04647	0.05647	0.04584	0.09139	0.09231	0.10231	0.09231	kWh
https://ebce.org/rates	Part-Peak Summer	0.06788	0.06903	0.07903	0.04584	0.11372	0.11487	0.12487	0.11487	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://www.ebce.org/rates	Peak Summer	0.09845	0.09991	0.10991	0.04584	0.14429	0.14575	0.15575	0.14575	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04244	0.04333	0.05333	0.04584	0.08828	0.08917	0.09917	0.08917	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.04310	0.04400	0.05400	0.04584	0.08894	0.08984	0.09984	0.08984	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	9.19710	9.29000	9.29000	0	9.19710	9.29000	9.29000	9.29000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	9.19710	9.29000	9.29000	0	9.19710	9.29000	9.29000	9.29000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.03855	0.03940	0.04940	0.04584	0.08439	0.08524	0.09524	0.08524	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.04447	0.04538	0.05538	0.04584	0.09031	0.09122	0.10122	0.09122	kWh
https://www.ebce.org/rates	Peak Summer	0.04447	0.04538	0.05538	0.04584	0.09031	0.09122	0.10122	0.09122	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03528	0.03610	0.04610	0.04584	0.08112	0.08194	0.09194	0.08194	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.03598	0.03681	0.04681	0.04584	0.08182	0.08265	0.09265	0.08265	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.05551	0.05653	0.06653	0.04584	0.10135	0.10237	0.11237	0.10237	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.08072	0.08200	0.09200	0.04584	0.12656	0.12784	0.13784	0.12784	kWh
https://www.ebce.org/rates	Peak Summer	0.11511	0.11674	0.12674	0.04584	0.16095	0.16258	0.17258	0.16258	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.05224	0.05323	0.06323	0.04584	0.09808	0.09907	0.10907	0.09907	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.05294	0.05394	0.06394	0.04584	0.09878	0.09978	0.10978	0.09978	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	8.81100	8.90000	8.90000	0	8.81100	8.90000	8.90000	8.90000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	8.81100	8.90000	8.90000	0	8.81100	8.90000	8.90000	8.90000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.02280	0.02349	0.03349	0.04584	0.06864	0.06933	0.07933	0.06933	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.02840	0.02915	0.03915	0.04584	0.07424	0.07499	0.08499	0.07499	kWh
https://www.ebce.org/rates	Peak Summer	0.02840	0.02915	0.03915	0.04584	0.07424	0.07499	0.08499	0.07499	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.01974	0.02040	0.03040	0.04584	0.06558	0.06624	0.07624	0.06624	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.02039	0.02106	0.03106	0.04584	0.06623	0.06690	0.07690	0.06690	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.04819	0.04914	0.05914	0.04584	0.09403	0.09498	0.10498	0.09498	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.06773	0.06888	0.07888	0.04584	0.11357	0.11472	0.12472	0.11472	kWh
https://www.ebce.org/rates	Peak Summer	0.09466	0.09608	0.10608	0.04584	0.14050	0.14192	0.15192	0.14192	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://www.ebce.org/rates	Off-Peak Winter	0.04513	0.04605	0.05605	0.04584	0.09097	0.09189	0.10189	0.09189	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.04578	0.04671	0.05671	0.04584	0.09162	0.09255	0.10255	0.09255	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	9.45450	9.55000	9.55000	0	9.45450	9.55000	9.55000	9.55000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	9.45450	9.55000	9.55000	0	9.45450	9.55000	9.55000	9.55000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.03524	0.03602	0.04602	0.04205	0.07729	0.07807	0.08807	0.07807	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.04095	0.04179	0.05179	0.04205	0.08300	0.08384	0.09384	0.08384	kWh
https://www.ebce.org/rates	Peak Summer	0.04095	0.04179	0.05179	0.04205	0.08300	0.08384	0.09384	0.08384	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03213	0.03288	0.04288	0.04205	0.07418	0.07493	0.08493	0.07493	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.03279	0.03355	0.04355	0.04205	0.07484	0.07560	0.08560	0.07560	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.04975	0.05068	0.06068	0.04205	0.09180	0.09273	0.10273	0.09273	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07345	0.07462	0.08462	0.04205	0.11550	0.11667	0.12667	0.11667	kWh
https://www.ebce.org/rates	Peak Summer	0.10805	0.10957	0.11957	0.04205	0.15010	0.15162	0.16162	0.15162	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04664	0.04754	0.05754	0.04205	0.08869	0.08959	0.09959	0.08959	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.04731	0.04821	0.05821	0.04205	0.08936	0.09026	0.10026	0.09026	kWh
https://www.ebce.org/rates	Max Part-Peak Demand Summer	8.83080	8.92000	8.92000	0	8.83080	8.92000	8.92000	8.92000	kW
https://www.ebce.org/rates	Max Peak Demand Summer	8.83080	8.92000	8.92000	0	8.83080	8.92000	8.92000	8.92000	kW
https://www.ebce.org/rates	Off-Peak Summer	0.03594	0.03675	0.04675	0.04392	0.07986	0.08067	0.09067	0.08067	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.04180	0.04267	0.05267	0.04392	0.08572	0.08659	0.09659	0.08659	kWh
https://www.ebce.org/rates	Peak Summer	0.04180	0.04267	0.05267	0.04392	0.08572	0.08659	0.09659	0.08659	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.03268	0.03345	0.04345	0.04392	0.07660	0.07737	0.08737	0.07737	kWh
https://www.ebce.org/rates	Part-Peak Winter	0.03338	0.03416	0.04416	0.04392	0.07730	0.07808	0.08808	0.07808	kWh
https://www.ebce.org/rates	Off-Peak Summer	0.05152	0.05248	0.06248	0.04392	0.09544	0.09640	0.10640	0.09640	kWh
https://www.ebce.org/rates	Part-Peak Summer	0.07499	0.07619	0.08619	0.04392	0.11891	0.12011	0.13011	0.12011	kWh
https://www.ebce.org/rates	Peak Summer	0.10463	0.10613	0.11613	0.04392	0.14855	0.15005	0.16005	0.15005	kWh
https://www.ebce.org/rates	Off-Peak Winter	0.04825	0.04918	0.05918	0.04392	0.09217	0.09310	0.10310	0.09310	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://	Part-Peak Winter	0.04895	0.04989	0.05989	0.04392	0.09287	0.09381	0.10381	0.09381	kWh
https://	Max Part-Peak Demand Summer	11.25630	11.37000	11.37000	0	11.25630	11.37000	11.37000	11.37000	kW
https://	Max Peak Demand Summer	11.25630	11.37000	11.37000	0	11.25630	11.37000	11.37000	11.37000	kW
https://	Off-Peak Summer	0.02801	0.02869	0.03869	0.03921	0.06722	0.06790	0.07790	0.06790	kWh
https://	Part-Peak Summer	0.03361	0.03435	0.04435	0.03921	0.07282	0.07356	0.08356	0.07356	kWh
https://	Peak Summer	0.03361	0.03435	0.04435	0.03921	0.07282	0.07356	0.08356	0.07356	kWh
https://	Off-Peak Winter	0.02495	0.02560	0.03560	0.03921	0.06416	0.06481	0.07481	0.06481	kWh
https://	Part-Peak Winter	0.02561	0.02626	0.03626	0.03921	0.06482	0.06547	0.07547	0.06547	kWh
https://	Off-Peak Summer	0.04587	0.04673	0.05673	0.03921	0.08508	0.08594	0.09594	0.08594	kWh
https://	Part-Peak Summer	0.06926	0.07036	0.08036	0.03921	0.10847	0.10957	0.11957	0.10957	kWh
https://	Peak Summer	0.10380	0.10524	0.11524	0.03921	0.14301	0.14445	0.15445	0.14445	kWh
https://	Off-Peak Winter	0.04281	0.04364	0.05364	0.03921	0.08202	0.08285	0.09285	0.08285	kWh
https://	Part-Peak Winter	0.04346	0.04430	0.05430	0.03921	0.08267	0.08351	0.09351	0.08351	kWh
https://	Off-Peak Summer	0.03830	0.03917	0.04917	0.04808	0.08638	0.08725	0.09725	0.08725	kWh
https://	Part-Peak Summer	0.08563	0.08698	0.09698	0.04808	0.13371	0.13506	0.14506	0.13506	kWh
https://	Peak Summer	0.20158	0.20410	0.21410	0.04808	0.24966	0.25218	0.26218	0.25218	kWh
https://	Off-Peak Winter	0.05155	0.05256	0.06256	0.04808	0.09963	0.10064	0.11064	0.10064	kWh
https://	Part-Peak Winter	0.06457	0.06571	0.07571	0.04808	0.11265	0.11379	0.12379	0.11379	kWh
https://	Off-Peak Summer	0.03830	0.03917	0.04917	0.04808	0.08638	0.08725	0.09725	0.08725	kWh
https://	Part-Peak Summer	0.08563	0.08698	0.09698	0.04808	0.13371	0.13506	0.14506	0.13506	kWh
https://	Peak Summer	0.20158	0.20410	0.21410	0.04808	0.24966	0.25218	0.26218	0.25218	kWh
https://	Off-Peak Winter	0.05155	0.05256	0.06256	0.04808	0.09963	0.10064	0.11064	0.10064	kWh
https://	Part-Peak Winter	0.06457	0.06571	0.07571	0.04808	0.11265	0.11379	0.12379	0.11379	kWh
https://	Off-Peak Summer	0.06669	0.06785	0.07785	0.04808	0.11477	0.11593	0.12593	0.11593	kWh
https://	Peak Summer	0.16872	0.17091	0.18091	0.04808	0.21680	0.21899	0.22899	0.21899	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
https://	Off-Peak Winter	0.04434	0.04527	0.05527	0.04808	0.09242	0.09335	0.10335	0.09335	kWh
https://	Peak Winter	0.06295	0.06407	0.07407	0.04808	0.11103	0.11215	0.12215	0.11215	kWh
https://	Off-Peak Summer	0.06134	0.06245	0.07245	0.04808	0.10942	0.11053	0.12053	0.11053	kWh
https://	Peak Summer	0.11425	0.11589	0.12589	0.04808	0.16233	0.16397	0.17397	0.16397	kWh
https://	Off-Peak Winter	0.05110	0.05210	0.06210	0.04808	0.09918	0.10018	0.11018	0.10018	kWh
https://	Peak Winter	0.06598	0.06713	0.07713	0.04808	0.11406	0.11521	0.12521	0.11521	kWh
https://	Off-Peak Summer	0.04223	0.04314	0.05314	0.04808	0.09031	0.09122	0.10122	0.09122	kWh
https://	Peak Summer	0.12634	0.12810	0.13810	0.04808	0.17442	0.17618	0.18618	0.17618	kWh
https://	Off-Peak Winter	0.07052	0.07172	0.08172	0.04808	0.11860	0.11980	0.12980	0.11980	kWh
https://	Peak Winter	0.08545	0.08680	0.09680	0.04808	0.13353	0.13488	0.14488	0.13488	kWh
http://	Off-Peak Summer	0.04661	0.04757	0.05757	0.04808	0.09469	0.09565	0.10565	0.09565	kWh
http://	Part-Peak Summer	0.08734	0.08871	0.09871	0.04808	0.13542	0.13679	0.14679	0.13679	kWh
http://	Peak Summer	0.13161	0.13342	0.14342	0.04808	0.17969	0.18150	0.19150	0.18150	kWh
http://	Off-Peak Winter	0.03969	0.04058	0.05058	0.04808	0.08777	0.08866	0.09866	0.08866	kWh
http://	Part-Peak Winter	0.06294	0.06406	0.07406	0.04808	0.11102	0.11214	0.12214	0.11214	kWh
http://	Peak Winter	0.07529	0.07654	0.08654	0.04808	0.12337	0.12462	0.13462	0.12462	kWh
http://	Off-Peak Summer	0.01648	0.01713	0.02713	0.04808	0.06456	0.06521	0.07521	0.06521	kWh
http://	Part-Peak Summer	0.08039	0.08169	0.09169	0.04808	0.12847	0.12977	0.13977	0.12977	kWh
http://	Peak Summer	0.21850	0.22119	0.23119	0.04808	0.26658	0.26927	0.27927	0.26927	kWh
http://	Off-Peak Winter	0.01878	0.01946	0.02946	0.04808	0.06686	0.06754	0.07754	0.06754	kWh
http://	Part-Peak Winter	0.01415	0.01478	0.02478	0.04808	0.06223	0.06286	0.07286	0.06286	kWh
http://	Peak Winter	0.05153	0.05254	0.06254	0.04808	0.09961	0.10062	0.11062	0.10062	kWh
http://	Off-Peak Summer	0.01648	0.01713	0.02713	0.04808	0.06456	0.06521	0.07521	0.06521	kWh
http://	Part-Peak Summer	0.08039	0.08169	0.09169	0.04808	0.12847	0.12977	0.13977	0.12977	kWh
http://	Peak Summer	0.21850	0.22119	0.23119	0.04808	0.26658	0.26927	0.27927	0.26927	kWh



This rate sheet is for **2017** vintage year rates. See "How to Find Your Vintage Year" at ebce.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Brilliant 100 Rate	Renewable 100 Rate	2017 Vintage System Fees	Total Bright Choice Rate	Total Brilliant 100 Rate	Total Renewable 100 Rate	August 2021 PG&E Generation Rate	Unit
http	Off-Peak Winter	0.01878	0.01946	0.02946	0.04808	0.06686	0.06754	0.07754	0.06754	kWh
http	Part-Peak Winter	0.01415	0.01478	0.02478	0.04808	0.06223	0.06286	0.07286	0.06286	kWh
http	Peak Winter	0.05153	0.05254	0.06254	0.04808	0.09961	0.10062	0.11062	0.10062	kWh
htt	Flat	0.05171	0.05262	0.06262	0.03829	0.09000	0.09091	0.10091	0.09091	kWh
http	Flat	0.05386	0.05487	0.06487	0.04663	0.10049	0.10150	0.11150	0.10150	kWh